

24 Port 1U Rack Mount Fiber Optic Patch Panel FTTH Product

Brand Name: OPTICO

Product name: FTTH 24 ports 1U Fiber optic Patch Panel

Type: 1u Rack Mount

Ports: 24 ports

Name: Fiber Optical terminal box

Connector: SC/LC/ST/FC

Size: 430*250*1U

Weight: 1.7kg/pcs

Material: Cold rolled steel sheet

Package: 5pcs/carton

Application: FTTH FTTB FTTX Network

Supply Ability: 10000 Piece/Pieces per Month

Packaging Details: 5 pcs/carton

Port: Shenzhen



CE  RoHS CPR
TÜV Rheinland



Product Description:

FTTH FMS patch panel can be applied in the branch connection of fiber termination, working as distribution box; 19" standard structure rack mounted; Available for the installation of FC, SC, ST, LC adapters.

Application:

Rack mount serial dust-proof cover optical fiber terminal box patch panel can be applied in the storage of indoor optical cable, distribution and terminal of various optical fiber system. Available for the rack installation of adapters for FC, SC, ST, LC and so on. Revolving structure, easy for operation.

Features:

- The body make use of cold rolling steel,and the surface use the technique of dim plastic.Stable performance and good durability;
- 1U Standard size, light weight and reasonable structure;
- Splice tray inside changeable;
- Can be used in 19" standard distribution frame;
- Suitable for ribbon and single fiber;
- SC/ST/FC/LC ports is available;
- Front mark on the plate is easy for identification and operation;
- Full loaded (fiber optic pigtails and adapters) and empty box are both available;
- Easy for management and operation .

Performance:

- Fiber capacity from 12 cores to 48 cores
- Thickness: 1mm
- Winding radius ≥40mm
- Working temperature -45°C~+65°C
- Atmosphere pressure 70~106Kpa
- Insulated Resistance 2×10MΩ/500V(DC)W
- Voltage- resistance:Under the effect of 3kv/DC/1min, non-puncture, and no arc-over.
- Cable ties, mounting ear screws, and spiral wrap tube

Certificates:



CE

CPR

ISO

RoHS

Factory:

Shenzhen Optico Communication Co.,Ltd

